

Table of contents

Maternal Adverse Events

Fetal Adverse Events

Guidance on the use of MFAET severity grading criteria

Adverse Events

]• ^ v Ç

š Œ š u v š _
(Z • Œ] } μ • [

- x
- x
- x

- x

Venous thrombosis in pregnancy,
Postpartum venous thrombosis, Obstetrical pulmonary
embolism
ZZ Œ } u } u } o] À v š [X

Neonatal Adverse Events

- u] } o } v] v] š • Z } Œ [Á] š Z] v š Z
- Œ] % š] } v } (P Œ X

Maternal and Fetal Adverse Events

Maternal AEsot included in these criteria

Maternal adverse event	Grade 1 (mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life threatening)
Preterm premature rupture of membranes: maternal Preterm premature rupture of membranes				
Premature labour Premature labour				
Chorioamnionitis: maternal Chorioamnionitis				

Maternal adverse event	Grade 1(mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life threatening)
Puerperal infection				

Puerperal
infection

FETAL ADVERSE EVENTS

Fetal adverse event	Grade 1 (mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life-threatening)
Fetal fluid collection Fetal compartment fluid collection				

Fetal bradycardia

Fetal
bradycardia

Fetal adverse event	Grade 1 (mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life-threatening)
Fetal tachyarrhythmia				

Fetal
tachyarrhythmia

Fetal adverse event	Grade 1 (mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life-threatening)
Fetal brain scan abnormal Brain scan abnormal				

Fetal movement disorders

Fetal movement disorder

Fetal adverse event	Grade 1 (mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life-threatening)
Fetal gastrointestinal tract imaging abnormal Fetal gastrointestinal tract imaging abnormal				

Fetal

Fetal adverse event	Grade 1 (mild)	Grade 2 (moderate)	Grade 3 (severe)	Grade 4 (life-threatening)
Preterm premature rupture of membranes: fetal <p style="text-align: center;">Preterm premature rupture of membranes</p>				

Chorioamnionitis: fetal

Chorioamnionitis

